

CLAIMS

What is claimed is:

1. A bracket configured to organize a plurality of fiber optic cables, the bracket comprising:

a propping member having at least one aperture formed therein;

at least one coupling member disposed in the at least one aperture, the at least one coupling member configured to selectively couple to an end of a fiber optic cable; and

a connector member connected to the propping member.

2. The bracket as recited in claim 1, wherein the propping member is a plate.

3. The bracket as recited in claim 1, wherein the connector member is a plate.

4. The bracket as recited in claim 1, wherein the coupling member comprises a coupling.

5. The bracket as recited in claim 1, wherein the coupling member comprises a connector.

6. The bracket as recited in claim 5, wherein the coupling member comprises an FC or ST connector.

7. The bracket as recited in claim 1, wherein the propping member and connector member comprise metal or plastic, or a combination thereof.

8. The bracket as recited in claim 1, wherein the connector member comprises apertures configured to be coupled to a base.

9. The bracket as recited in claim 1, wherein the propping member and the connector member are disposed at an angle in relation to each other.

10. The bracket as recited in claim 9, wherein the propping member and connector member are disposed at an orthogonal angle.

11. The bracket as recited in claim 9, wherein the propping member and connector member are rigidly attached.

12. A mounting system configured to organize a plurality of fiber optic cables, the mounting system comprising:

a base; and

a bracket configured to be coupled to the base, the bracket comprising:

a propping member having at least one aperture formed therein;

at least one coupling member disposed in the at least one aperture, the at least one coupling member configured to selectively couple to an end of a fiber optic cable; and

a connector member connected to the propping member, the connector member configured to be couple to the base.

13. The mounting system as recited in claim 12, wherein the propping member is a plate.

14. The mounting system as recited in claim 12, wherein the connector member is a plate.

15. The mounting system as recited in claim 12, wherein the coupling member comprises a coupling.

16. The mounting system as recited in claim 12, wherein the coupling member comprises a connector.

17. The mounting system as recited in claim 16, wherein the coupling member comprises an FC or ST connector.

18. The mounting system as recited in claim 12, wherein the propping member and connector member comprise metal or plastic, or a combination thereof.

19. The mounting system as recited in claim 12, wherein the propping member and the connector member are disposed at an angle in relation to each other.

20. The mounting system as recited in claim 19, wherein the propping member and connector member are disposed at an orthogonal angle.

21. The mounting system as recited in claim 19, wherein the propping member and the connector member are rigidly attached.

22. The mounting system bracket as recited in claim 12, wherein the connector member comprises apertures for coupling the connector member to the base.